I: Irritating Interruption II

Problem author: Tobias Röhr



Problem: Repeatedly assign mathematical operations ($+, \times$) to armies to maximize their combined strength.

I: Irritating Interruption II

Problem author: Tobias Röhr



Problem: Repeatedly assign mathematical operations ($+, \times$) to armies to maximize their combined strength.

Observation: The effect of assigning additions to armies is determined by future multiplications.

I: Irritating Interruption II

Problem author: Tobias Röhr



Problem: Repeatedly assign mathematical operations ($+, \times$) to armies to maximize their combined strength.

Observation: The effect of assigning additions to armies is determined by future multiplications.

Observation: Additions are best assigned such that the largest addition continues to all the largest multiplications. *(proof left as an exercise to the reader)*

I: Irritating Interruption II

Problem author: Tobias Röhr



Problem: Repeatedly assign mathematical operations ($+, \times$) to armies to maximize their combined strength.

Observation: The effect of assigning additions to armies is determined by future multiplications.

Observation: Additions are best assigned such that the largest addition continues to all the largest multiplications. *(proof left as an exercise to the reader)*

Greedy solution: Send the strongest army through the best gate.

I: Irritating Interruption II

Problem author: Tobias Röhr



Problem: Repeatedly assign mathematical operations ($+, \times$) to armies to maximize their combined strength.

Observation: The effect of assigning additions to armies is determined by future multiplications.

Observation: Additions are best assigned such that the largest addition continues to all the largest multiplications. *(proof left as an exercise to the reader)*

Greedy solution: Send the strongest army through the best gate.

Why: All the biggest additions end up with the largest multiplications.

I: Irritating Interruption II

Problem author: Tobias Röhr



Problem: Repeatedly assign mathematical operations ($+, \times$) to armies to maximize their combined strength.

Observation: The effect of assigning additions to armies is determined by future multiplications.

Observation: Additions are best assigned such that the largest addition continues to all the largest multiplications. *(proof left as an exercise to the reader)*

Greedy solution: Send the strongest army through the best gate.

Why: All the biggest additions end up with the largest multiplications.

Result: This works!

I: Irritating Interruption II

Problem author: Tobias Röhr



Problem: Repeatedly assign mathematical operations $(+, \times)$ to armies to maximize their combined strength.

Observation: The effect of assigning additions to armies is determined by future multiplications.

Observation: Additions are best assigned such that the largest addition continues to all the largest multiplications. *(proof left as an exercise to the reader)*

Greedy solution: Send the strongest army through the best gate.

Why: All the biggest additions end up with the largest multiplications.

Result: This works!

Running time: $\mathcal{O}(nk \log k)$.

I: Irritating Interruption II

Problem author: Tobias Röhr



Problem: Repeatedly assign mathematical operations $(+, \times)$ to armies to maximize their combined strength.

Observation: The effect of assigning additions to armies is determined by future multiplications.

Observation: Additions are best assigned such that the largest addition continues to all the largest multiplications. *(proof left as an exercise to the reader)*

Greedy solution: Send the strongest army through the best gate.

Why: All the biggest additions end up with the largest multiplications.

Result: This works!

Running time: $\mathcal{O}(nk \log k)$.

Statistics: 85 submissions, 48 accepted, 2 unknown