
M: Memory Management


Problem author: Jeroen Op de Beek, Wietze Koops



Problem: For a generalized FizzBuzz sequence, with Fizz at multiples of a and Buzz at multiples of b, what is the largest k for which the answer string still fits in a memory of n bytes.

M: Memory Management

Problem author: Jeroen Op de Beek, Wietze Koops




Problem: For a generalized FizzBuzz sequence, with Fizz at multiples of a and Buzz at multiples of b, what is the largest k for which the answer string still fits in a memory of n bytes.

Solution: Simulate Fizz Buzz, and stop once the memory limit is reached.

M: Memory Management

Problem author: Jeroen Op de Beek, Wietze Koops




Problem: For a generalized FizzBuzz sequence, with Fizz at multiples of a and Buzz at multiples of b, what is the largest k for which the answer string still fits in a memory of n bytes.

Solution: Simulate Fizz Buzz, and stop once the memory limit is reached.

Running time: $\mathcal{O}(n)$.

M: Memory Management

Problem author: Jeroen Op de Beek, Wietze Koops



Problem: For a generalized FizzBuzz sequence, with Fizz at multiples of a and Buzz at multiples of b, what is the largest k for which the answer string still fits in a memory of n bytes.


Solution: Simulate Fizz Buzz, and stop once the memory limit is reached.

Running time: $\mathcal{O}(n)$.

Pitfall: When constructing the string, make sure to not run into a runtime of $O(n^2)$, due to slow concatenations.

M: Memory Management

Problem author: Jeroen Op de Beek, Wietze Koops



Problem: For a generalized FizzBuzz sequence, with Fizz at multiples of a and Buzz at multiples of b, what is the largest k for which the answer string still fits in a memory of n bytes.

Solution: Simulate Fizz Buzz, and stop once the memory limit is reached.


Running time: $\mathcal{O}(n)$.

Pitfall: When constructing the string, make sure to not run into a runtime of $O(n^2)$, due to slow concatenations.

Bonus: The problem can be solved in $O(\log n)$ with binary search, but this was not needed.

M: Memory Management

Problem author: Jeroen Op de Beek, Wietze Koops



Problem: For a generalized FizzBuzz sequence, with Fizz at multiples of a and Buzz at multiples of b, what is the largest k for which the answer string still fits in a memory of n bytes.

Solution: Simulate Fizz Buzz, and stop once the memory limit is reached.

Running time: $\mathcal{O}(n)$.

Pitfall: When constructing the string, make sure to not run into a runtime of $O(n^2)$, due to slow concatenations.

Bonus: The problem can be solved in $O(\log n)$ with binary search, but this was not needed.

Statistics: 124 submissions, 47 accepted, 5 unknown