

D: Digit Display

Problem author: Moham Balfakeih



- **Problem:** Given n segments, display the largest possible number on 7-segment digits.

D: Digit Display

Problem author: Moham Balfakeih



- **Problem:** Given n segments, display the largest possible number on 7-segment digits.
- If $n < 2$: no digit can be displayed, output `impossible`.

D: Digit Display

Problem author: Moham Balfakeih



- **Problem:** Given n segments, display the largest possible number on 7-segment digits.
- If $n < 2$: no digit can be displayed, output `impossible`.
- **Key insight:** A larger number of digits always beats fewer digits (e.g. $11 > 9$).

D: Digit Display

Problem author: Moham Balfakeih



- **Problem:** Given n segments, display the largest possible number on 7-segment digits.
- If $n < 2$: no digit can be displayed, output *impossible*.
- **Key insight:** A larger number of digits always beats fewer digits (e.g. $11 > 9$).
- So we want to *maximize the number of digits* first.

D: Digit Display

Problem author: Moham Balfakeih



- **Problem:** Given n segments, display the largest possible number on 7-segment digits.
- If $n < 2$: no digit can be displayed, output *impossible*.
- **Key insight:** A larger number of digits always beats fewer digits (e.g. $11 > 9$).
- So we want to *maximize the number of digits* first.
- The cheapest digit is 1 at 2 segments. So $\lfloor n/2 \rfloor$ digits is optimal.

D: Digit Display

Problem author: Moham Balfakeih



- **Problem:** Given n segments, display the largest possible number on 7-segment digits.
- If $n < 2$: no digit can be displayed, output `impossible`.
- **Key insight:** A larger number of digits always beats fewer digits (e.g. $11 > 9$).
- So we want to *maximize the number of digits* first.
- The cheapest digit is 1 at 2 segments. So $\lfloor n/2 \rfloor$ digits is optimal.
- If n is even: all 1s $\Rightarrow 111 \dots 1$ ($n/2$ digits).

D: Digit Display


Problem author: Moham Balfakeih



- **Problem:** Given n segments, display the largest possible number on 7-segment digits.
- If $n < 2$: no digit can be displayed, output impossible.
- **Key insight:** A larger number of digits always beats fewer digits (e.g. $11 > 9$).
- So we want to *maximize the number of digits* first.
- The cheapest digit is 1 at 2 segments. So $\lfloor n/2 \rfloor$ digits is optimal.
- If n is even: all 1s $\Rightarrow 111 \dots 1$ ($n/2$ digits).
- If n is odd: one leftover segment. Replace the leading 1 (2 segments) with 7 (3 segments) $\Rightarrow 711 \dots 1$.

D: Digit Display

Problem author: Moham Balfakeih



- **Problem:** Given n segments, display the largest possible number on 7-segment digits.
- If $n < 2$: no digit can be displayed, output impossible.
- **Key insight:** A larger number of digits always beats fewer digits (e.g. $11 > 9$).
- So we want to *maximize the number of digits* first.
- The cheapest digit is 1 at 2 segments. So $\lfloor n/2 \rfloor$ digits is optimal.
- If n is even: all 1s $\Rightarrow 111 \dots 1$ ($n/2$ digits).
- If n is odd: one leftover segment. Replace the leading 1 (2 segments) with 7 (3 segments) $\Rightarrow 711 \dots 1$.
- This is optimal because 7 is the largest single digit costing exactly 3 segments, and placing it first maximizes the value.

D: Digit Display

Problem author: Moham Balfakeih



- **Problem:** Given n segments, display the largest possible number on 7-segment digits.
- If $n < 2$: no digit can be displayed, output impossible.
- **Key insight:** A larger number of digits always beats fewer digits (e.g. $11 > 9$).
- So we want to *maximize the number of digits* first.
- The cheapest digit is 1 at 2 segments. So $\lfloor n/2 \rfloor$ digits is optimal.
- If n is even: all 1s $\Rightarrow 111 \dots 1$ ($n/2$ digits).
- If n is odd: one leftover segment. Replace the leading 1 (2 segments) with 7 (3 segments) $\Rightarrow 711 \dots 1$.
- This is optimal because 7 is the largest single digit costing exactly 3 segments, and placing it first maximizes the value.
- $\mathcal{O}(n)$ to print the output (or $\mathcal{O}(1)$ to compute what to print).

D: Digit Display

Problem author: Moham Balfakeih



- **Problem:** Given n segments, display the largest possible number on 7-segment digits.
- If $n < 2$: no digit can be displayed, output impossible.
- **Key insight:** A larger number of digits always beats fewer digits (e.g. $11 > 9$).
- So we want to *maximize the number of digits* first.
- The cheapest digit is 1 at 2 segments. So $\lfloor n/2 \rfloor$ digits is optimal.
- If n is even: all 1s $\Rightarrow 111 \dots 1$ ($n/2$ digits).
- If n is odd: one leftover segment. Replace the leading 1 (2 segments) with 7 (3 segments) $\Rightarrow 711 \dots 1$.
- This is optimal because 7 is the largest single digit costing exactly 3 segments, and placing it first maximizes the value.
- $\mathcal{O}(n)$ to print the output (or $\mathcal{O}(1)$ to compute what to print).

Statistics: 70 submissions, 41 accepted, 4 unknown